

CLAIMS

1. (original) A folding magazine insert comprising: a means for emitting a sound enclosed in a foldable support structure, emitting sounds upon unfolding; said means for emitting a sound comprising an electronic microchip sound generating device, and a slide tongue mechanism having a pair of ends wherein one of the two ends is connected to the electronic microchip sound generating device and the other end is attached to the foldable support structure so as to activate the electronic microchip sound generating device upon the unfolding of the foldable support structure,
the foldable support structure comprising a primary page and a secondary page, the electronic microchip sound generating device held in the secondary page by folding the secondary page, wherein the secondary page is folded-over itself along a fold line and held together by double sided tape adhered at a top edge, bottom edges, inner edge and channel edges thereof; wherein the inner edge is the edge close to the fold between the primary and secondary page, wherein the channel edges form a channel retaining the tongue such that the microchip sound generating device is retained halfway between the vertical and horizontal midpoint of the secondary page and the outer edge of the secondary page.
2. (original) The folding magazine insert of claim 1 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page.
3. (original) The folding magazine insert of claim 1 wherein the microchip sound generating device includes a flat speaker facing down.
4. (original) The folding magazine insert of claim 1 wherein the microchip sound generating device includes a flat speaker facing up.
5. (original) The unfolding magazine insert of claim 1 wherein the microchip sound generating device includes three 1.5 V button batteries.

6. (original) The folding magazine insert of claim 1 wherein the microchip sound generating device is adhered to a film forming a modular template, the modular template having a tongue stick section, a speaker section and a battery section, wherein the battery section includes a microchip controller, each section adhered by glue to a sticky tape with a removable liner such that when the liner is removed, the sticky tape is revealed, the sticky tape sticking the modular section to the proper position on the first and secondary pages.
7. -9. (cancelled)
10. (original) The folding magazine insert of claim 6 wherein the tongue distance between the tongue attachment means and switch on a microchip and battery section is held constant by the film, such that after adhering the film to the primary and secondary pages the distance between the attachment means and the switch is held constant.
- 11-27. (cancelled)
28. (original) The folding magazine insert of claim 1 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page; and wherein the microchip sound generating device includes a flat speaker facing down.
29. (original) The folding magazine insert of claim 1 wherein the microchip sound generating device includes a flat speaker facing up and wherein the microchip sound generating device includes three 1.5 V button batteries.
30. (original) The folding magazine insert of claim 1 further comprising a magazine receiving the folding magazine insert as if it were a single sheet of paper of approximately the same physical qualities as any other page of paper in the magazine.
31. (original) The folding magazine insert of claim 1 further comprising a magazine receiving the folding magazine insert as if it were a single sheet of paper of approximately the same physical qualities as any other page of paper in the magazine.
32. (original) The folding magazine insert of claim 31 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page; and wherein the microchip sound generating device includes a flat speaker facing down.

33. (original) The folding magazine insert of claim 31 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page; and wherein the microchip sound generating device includes a flat speaker facing down.
34. (original) The folding magazine insert of claim 31 wherein the microchip sound generating device includes a flat speaker facing down.
35. (original) The folding magazine insert of claim 31 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page.
36. (new) A folding magazine insert comprising:
a speaker enclosed in a foldable support structure, emitting sounds upon unfolding;
wherein the speaker is part of an electronic microchip sound generating device; and
a slide tongue mechanism having a pair of ends wherein one of the two ends is connected to the electronic microchip sound generating device and the other end is attached to the foldable support structure so as to activate the electronic microchip sound generating device upon the unfolding of the foldable support structure,
the foldable support structure comprising a primary page and a secondary page, the electronic microchip sound generating device held in the secondary page by folding the secondary page, wherein the secondary page is folded-over itself along a fold line and adhered at a top edge, bottom edges, inner edge and channel edges; wherein the inner edge is the edge close to the fold between the primary and secondary page, wherein the channel edges form a channel retaining the tongue such that the microchip sound generating device is retained between the secondary page and the outer edge of the secondary page,
wherein the folding magazine insert further comprises a magazine having a plurality of pages, wherein the plurality of pages have a page inner edge that is adhesively bound to the magazine, wherein the folding magazine insert is also adhesively bound to the magazine.
37. (new) The folding magazine insert of claim 36 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page; and wherein the microchip sound generating device includes a flat speaker facing down.
38. (new) The folding magazine insert of claim 36 wherein the microchip sound generating device includes a flat speaker facing down.

39. (new) The folding magazine insert of claim 36 further comprising a tongue attachment that is double taped on a top and bottom side adhering to the first page.
40. (new) A folding magazine insert comprising:
a speaker enclosed in a foldable support structure, emitting sounds upon unfolding;
wherein the speaker is part of an electronic microchip sound generating device; and
a slide tongue mechanism having a pair of ends wherein one of the two ends is connected to the electronic microchip sound generating device and the other end is attached to the foldable support structure so as to activate the electronic microchip sound generating device upon the unfolding of the foldable support structure,
the foldable support structure comprising a primary page and a secondary page, the electronic microchip sound generating device held in the secondary page by folding the secondary page, wherein the secondary page is folded-over itself along a fold line and adhered at a top edge, bottom edges, inner edge and channel edges; wherein the inner edge is the edge close to the fold between the primary and secondary page, wherein the channel edges form a channel retaining the tongue such that the microchip sound generating device is retained between the secondary page and the outer edge of the secondary page,
wherein the folding magazine insert further comprises a magazine having a plurality of pages, wherein the plurality of pages are adhesively bound to the magazine, wherein the folding magazine insert is also adhesively bound to the magazine and fitting between the plurality of pages.

RECEIVED
CENTRAL FAX CENTER

FEB 21 2007

PTO/SB/97 (09-06)


Approved for use through 03/31/2007. OMB 0651-0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office

on 2-21-2007
Date


Signature

Chinfany Yeh
Typed or printed name of person signing Certificate

n/a
Registration Number, if applicable

714-825-0555
Telephone Number

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

- General Transmittal - 1pg
- Supplemental Amendment in Rpy to OA - 5 pgs

This collection of information is required by 37 CFR 1.8. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 1.8 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.